SAGAR FOREST DIVISION.

Abstract Notification dated the 7th February 1936.

The attention of the public is invited to the detailed Notification of date, relating to the auction sale of timber in Sagar Depot on 2nd March 1936, published on pages 210-211, Part VI of the *Mysore Gazette*, dated the 13th February 1936.

Abstract Notification dated the 10th February 1936.

The attention of the public is invited to the detailed notification of date relating to the auction sale of timber in the several depots of the Division on the dates noted below and published on pages 248-249, Part VI of the *Mysore Gazette*, dated 20th February 1936.

1.	Shikarpur Depot	.. 12th March 1936.
2.	Shiralkoppa Depot	.. 14th March 1936.
3.	Anavatty Depot	.. 17th March 1936.
4.	Sakunvally Depot	.. 19th March 1936.
5.	Balekoppa Depot	.. 21st March 1936.

Abstract Notification, dated 14th February 1936.

The attention of the public is invited to the detailed Notification of date relating to the auction sale of timber in the Kumsi Depot of the Division on 4th March 1936 published on pages 250-251, Part VI of the *Mysore Gazette*, dated 20th February 1936.

H. S. RANGA CHAR,
District Forest Officer.

ENGINEERING DEPARTMENT

BUILDINGS DIVISION, BANGALORE.

Abstract Notification, dated 17th February 1936.

The attention of the public is invited to the notification calling for tenders for constructing quarters for the Assistant Superintendent of Police, Provincial Reserve Police, Bangalore, on pages 252-253, of Part VI of the *Mysore Gazette*, dated 20th February 1936.

The last date of receiving tenders is 2nd March 1936.

Abstract Notification dated, 17th February 1936.

The attention of the public is invited to the notification calling for tenders for constructing the Middle School and the Hostel for the Urdu Girls in the Fort area, Bangalore, on pages 253-257 of Part VI of the *Mysore Gazette*, dated 20th February 1936

The last date of receiving tenders is 4th March 1936.

Notification, dated 17th February 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 13th March 1936, (2 P.M.) for extending and improving the Barne Park Building to accommodate the Women's Intermediate College, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. to 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees Nine Hundred only (Rs. 900) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for extending and improving the Barne Park buildings to accommo date the Women's Intermediate College, Bangalore, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond ; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Transfer of works to third parties by selected contractors will not be countenanced by the Department and in the case of any such attempt the earnest money is liable to be forfeited at the discretion of the Superintending Engineer.

Abstract estimate of quantities for extending and improving the "Barne Park" Buildings to accommodate the Women's Intermediate College, Bangalore.

No.	Items of work	Per	Rate	Quantity	Rates to be quoted
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation, keeping the earth at a distance and filling in the foundation and basement and levelling with watering and tamping	C.yd.	0 3 6	410	
2	Laying burnt stone jelly concrete (1 : 2 : 4) in lime mortar for foundation levelling and tamping	C.ft.	0 4 0	2,681	
3	Burnt size stone in lime mortar (1 : 2) for foundation and constructing basement with through bond slabs 6′ apart, quoins dressing, etc., complete	,,	0 4 6	8,103	
4	Burnt brick in lime mortar (1 : 2) for super-structure.	,,	0 4 9	10,200	
5	Burnt stone slabs 6″ thick exposed surfaces 2 lines dressed and fixed over basement in mortar	S.ft.	0 9 0	1,112	
6	Burnt stone slabs 6″ thick one line dressed and fixed over basement in mortar	S.ft.	0 6 0	206	
7	Circular pillars of wire cut quadrant bricks in cement mortar with 3 bond slabs base and capital as per drawing plastering with hand-ground mortar, etc., complete (1′-6″ to 1′-4½″ diameter)	R.ft.	2 0 0	264	
8	Supplying and fixing teakwood doors with frames 4″×5″ and panelled shutters 1½″ thick steel fittings, parliamentary hinges, etc., complete	S.ft.	1 12 0	544	

No.	Items of work	Per	Rate	Quantity	Rates to be quoted
9	Supplying and fixing teakwood windows with glazed shutters including ventilators at top, frames $3\frac{1}{2}'' \times 4''$ sashes $1\frac{1}{4}''$ thick steel fittings, iron bars, etc., complete	S.ft.	1 12 0	768	
10	Burnt stone slabs 6" thick including hoisting and fixing in mortar for sills, lintels, bed slabs, etc.	,,	0 5 0	1,230	
11	Supplying Tata's tested rolled steel girders and joists including hoisting and fixing with 2 coats of red oxide painting	Cwt.	10 0 0	122.4	
12	R. B. C. roofing with well burnt table moulded bricks at edge 2" cement concrete on top and sides reinforced with $\frac{3}{8}''$ mild steel 5" C to C and extra bars if necessary bent as per design and $\frac{1}{4}''$ distribution bars also with 3" surki concrete and 2 courses of flat tiles finished to necessary slopes with lime plaster at top and complete with $\frac{1}{2}''$ smooth lime plastering ..	Sqr.	80 0 0	50.02	
13	Cutting joists and girders and fixing after drilling the necessary holes including fish plates, bolts, nuts, etc., complete	Each	3 0 0	12	
14	Ornamental cornice 8" with brick in mortar plastering, etc., complete as per drawing ..	R.ft.	0 8 0	514	
15	Parapet wall with brick in mortar 9" thick and height....base and cornice, etc., as per design with cement balustrades in panels, here and there weep holes, etc., complete ..	R.ft.	1 8 0	514	
16	Boxing girders with wire cut bricks in cement mortar wiring, plastering, etc., complete ..	R.ft.	1 8 0	196	
17	Flooring with $1\frac{1}{2}''$ cement concrete (1 : 2 : 4) over 3" stone jelly concrete the lime mortar (1 : 2 : 4) with 9" boulder and sand filling below and top finished smooth with $\frac{1}{2}''$ cement plaster mixed with red ochre cutting tiles polishing, etc., complete	Sqr.	25 0 0	39.88	
18	Flooring with burnt stone slabs 2" square and 2 line dressed at top laid with diagonal joints over 4" lime concrete (1 : 2 : 4) cement pointing, etc., complete	Sqr.	50 0 0	3.36	
19	Chunam plastering, 3 coats	,,	3 0 0	166.8	
20	Silicate painting, 2 coats	,,	3 8 0	29.72	
21	White and colour washing, 2 coats	,,	0 5 0	23.16	
22	Building steps with burnt stone slabs 6" thick and exposed faces, 2 line dressed	S.ft.	0 10 0	246	

Notification, dated 17th February 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 13th March 1936 (2 P.M.) for "Improvements and Extention of Locksley Hall for the Hostel of Women's College, Bangalore." An Approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. to 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees four hundred only (Rs. 400) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for

Improvements and Extension of Locksley Hall for the Hostel of Women's College, Bangalore, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himsilf to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Transfer of works to third parties by selected contractors will not be countenanced by the Department and in the case of any such attempts the earnest money is liable to be forfeited at the discretion of the Executive Engineer.

Abstract of estimate of the improvements and extension of Locksley Hall for the Hostel of Women's College, Bangalore.

No.	Details of work	Per	Quantity	Rate	Rates to be quoted
				Rs. a. p.	Rs.
1	Earthwork (excavation for foundation,) keeping the earth at a distance filling in foundation and basement levelling, watering and tamping	C.yds.	147	0 3 6	
2	Burnt size stone in clay for foundation and constructing basement with through bond slabs 6′ apart	C.ft.	3,780	0 3 9	
3	Burnt stone slabs 6″ thick, one line dressing including fixing over basement	,,	644	0 6 0	
4	Burnt brick in clay for superstructure ..	,,	2,820	0 3 6	
5	Do burnt brick in lime mortar do (1 : 2)	,,	858	0 5 0	
6	Supplying and fixing teakwood doors with frames 4″×5″ panelled shutters 1½″ thick, including iron fittings, etc., complete ..	S.ft.	420	1 10 0	
7	Supplying and fixing teakwood glazed windows with Frames 3½″×4″ iron bars, steel fittings, etc., complete	,,	350	1 10 0	
8	Expanded metal 1½″ mesh including fixing with new teakwood reepers to windows ..	,,	350	0 8 0	
9	Burnt stone slabs 6″ thick dressed including Hoisting and fixing for sills, lintels and bed plates, etc.	,,	458	0 5 0	
10	Tata's tested rolled steel girders and Joists including hoisting and fixing with 2 coats of red oxide paint	Cwts.	15.10	10 0 0	

No.	Details of work	Per	Quantity	Rate	Rates to be quoted
				Rs. a. p.	Rs.
11	R. B. C. roofing with well burnt table moulded bricks on edge and 2″ cement concrete (1 : 2 : 4) on top and sides Reinforced with ⅜″ mild steel bars 5″ C to C (extra bars if necessary) bent as per design, ¼″ distribution bars, also with 3″ surki concrete and 2 courses of flat tiles furnished to necessary slopes with lime plaster at top and complete with ½″ smooth lime plaster to the ceiling at bottom.	Sqrs.	24·87	80 0 0	
12	Circular pillars of wire cut quadrant bricks in cement mortar with 3 bond slabs, base and capital as per drawing and plastering with hand-ground mortar, etc., complete ..	R. ft.	120	2 0 0	
13	Plain cornice 6″ alround as per drawing with plastering, etc., complete	R. ft.	356	0 8 0	
14	Plain parapet wall of brick in mortar 9″ thick with base and top cornice as per drawing, plastering, etc., complete	R.ft.	358	1 4 0	
15	Flooring with 1½″ cement concrete (1 : 2 : 4) over 3″ stone jelley concrete (1 : 2 : 4) cement pointing with 9″ sand and boulder filling below and top finished smooth with ½″ cement plaster mixed with red ochre cutting tiles, polishing, etc., complete	Sqrs.	19·68	25 0 0	
16	Chunam plastering 3 coats	Sqrs.	68·26	3 0 0	
17	Flooring with burnt stone slabs 2′ square 6″ thick exposed face 2 line dressed laid with diagonal joints over 3″ stone jelley concrete in lime mortar (1 : 2 : 4) cement pointing, etc., complete	,,	5·04	50 0 0	
18	Supplying and fixing teakwood doors with battened shutters with frames 3½″×5″, steel fittings, etc., complete	S.ft.	72	1 4 0	
19	Wire cut brick in mortar for partition walls with expanded metal strips at every 5th course ..	C.ft.	328	0 12 0	
20	Silicate painting 2 coats to doors and windows	Sqr.	15·40	3 8 0	

N. KRISHNA IYENGAR,
Executive Engineer.

KOLAR DIVISION.

Abstract Notification, dated 4th February 1936.

The attention of the public is invited to the notification on pages 214-215 of the issue of the *Mysore Gazette*, dated 13th February 1936, inviting tenders for the work of restoring Gollahalli Ayyavarakere, Register No. 518 of Bagepalli Taluk.

The last date fixed for the receipt of the tender in this office is 2 P.M. on 28th February 1936.

Abstract Notification, dated 6th February 1936.

The attention of the public is invited to the notification on pages 215-218 of the issue of the *Mysore Gazette*, dated 13th February 1936, calling for tenders for closing the breach and extending left waste weir of Thimmampalli Nayankere, Register No. 859 of Bagepalli Taluk.

The last date fixed for the receipt of tenders is 2 P.M. on 24th March 1936.